



www.rjc.sa - info@rjc.sa

ركز الجودة للمقاولات العامة Rakaz Al Joudah General Contracting

C.R. No: 2050175808

VAT NO: 301143888700003

7279 Al Khobar Al Janubiyah

5207 Al khobar 34622

Saudi Arabia

السجل التجاري: ٢٠٥٠١٧٥٨٠٨

الرقم الضريبي: ٣٠١١٤٣٨٨٨٧٠٠٠٣

٧٢٧٩ الخبر جنوبية


٥٢٠٧ الخبر ٣٤٦٢٢

المملكة العربية السعودية

Datasheet

Rental GS-3390 Scissor Lift

Brand: Genie



Short Description

The **Genie® GS™-3390** rough terrain scissor lift is designed for demanding outdoor worksites, offering exceptional lifting capacity, stability, and drive performance. With a maximum working height of **12.06 m** and a large extendable platform, it is ideal for construction, maintenance, and installation applications requiring high reach and heavy load handling.



www.rjc.sa - info@rjc.sa

رکاز الجودة للمقاولات العامة Rakaz Al Joudah General Contracting

C.R. No: 2050175808

السجل التجاري: ٢٠٥٠١٧٥٨٠٨

VAT NO: 301143888700003

الرقم الضريبي: ٣٠١١٤٣٨٨٨٧٠٠٠٠٣

7279 Al Khobar Al Janubiyah

٧٢٧٩ الخبر جنوبية

5207 Al khobar 34622

٥٢٠٧ الخبر ٣٤٦٢٢

Saudi Arabia

المملكة العربية السعودية

Full Description

The **Genie® GS™-3390** rough terrain scissor lift is built for tough outdoor jobsites and offers superior performance on uneven surfaces. Designed with a robust four-wheel drive system and a powerful diesel engine, it delivers reliable mobility and gradeability up to **50%**.

With a maximum platform height of **10.06 meters (33 ft)** and an overall working height of **12.06 meters (39 ft)**, the GS-3390 provides operators with excellent elevation for construction, maintenance, and installation work. The spacious platform includes optional single or dual slide-out extension decks that can reach up to **6.57 meters (21 ft 6.5 in)** in length, offering generous workspace and material capacity.

The lift supports up to **2,500 lb (1,134 kg)** and maintains consistent performance even when extended, thanks to its smart load-sensing system. It is equipped with foam-filled rough terrain tires, proportional lift and drive controls, and optional auto-leveling outriggers for added stability and safety.

Additional features include:

- Fold-down guardrails for low stowed height
- Slide-out engine tray for easy maintenance
- Cold weather package, AC generator, and platform air line options
- Telematics support via Lift Connect™ for remote monitoring

Whether on construction sites, industrial yards, or infrastructure projects, the GS-3390 delivers the height, power, and ruggedness needed to get the job done safely and efficiently.

Images





www.rjc.sa - info@rjc.sa

رکاز الجودة للمقاولات العامة Rakaz Al Joudah General Contracting

C.R. No: 2050175808

VAT NO: 301143888700003

7279 Al Khobar Al Janubiyah
5207 Al khobar 34622
Saudi Arabia

السجل التجاري: ٢٠٥٠١٧٥٨٠٨

الرقم الضريبي: ٣٠١١٤٣٨٨٨٧٠٠٠٣

٧٢٧٩ الخبر جنوبية
٥٢٠٧ الخبر ٣٤٦٢٢
المملكة العربية السعودية

Technical Specifications

Rental GS-3390 Scissor Lift

Specification	Value
Working height max	12060 mm
Platform height max	10060 mm
Platform height - stowed	1550 mm
Platform length - outside	3980 mm
Platform length - extended (single deck)	5340 mm
Platform length - extended (dual deck)	6570 mm
Slide-out extension (front)	1520 mm
Slide-out extension (rear)	1220 mm
Platform width - outside	1830 mm
Stowed height (folding rails)	2710 mm
Stowed height (rails lowered)	2030 mm
Length - stowed	3940 mm
Length - stowed (dual deck)	3980 mm
Length - extended (dual deck)	6570 mm
Width (standard tires)	2340 mm
Wheelbase	2840 mm
Ground clearance	360 mm
Lift capacity	1134 kg
Lift capacity (deck extended)	227 kg
Drive speed - stowed	8 km/h
Drive speed - raised	1.1 km/h
Gradeability	50%
Turning radius (outside)	5330 mm
Fuel tank capacity	75.7 L
Hydraulic tank capacity	113.6 L
Machine weight	5433 kg