



www.rjc.sa - info@rjc.sa

رکاز الجودة للمقاولات العامة Rakaz Al Joudah General Contracting

C.R. No: 2050175808

VAT NO: 301143888700003

7279 Al Khobar Al Janubiyah
5207 Al khobar 34622
Saudi Arabia

السجل التجاري: ٢٠٥٠١٧٥٨٠٨

الرقم الضريبي: ٣٠١١٤٣٨٨٨٧٠٠٠٠٣

٧٢٧٩ الخبر جنوبية
٥٢٠٧ الخبر ٣٤٦٢٢
المملكة العربية السعودية

Datasheet

Rental Genie GS-3246 Electric Scissor Lift

Brand: Genie



Short Description

Genie GS-3246 electric scissor lift offers reliable indoor and outdoor access with a working height of up to **11.78 meters**. Its compact design and non-marking tires make it ideal for warehouses, maintenance, and construction projects. Features include a spacious platform, slide-out extension deck, and driveability at full height.



www.rjc.sa - info@rjc.sa

رکاز الجودة للمقاولات العامة Rakaz Al Joudah General Contracting

C.R. No: 2050175808

السجل التجاري: ٢٠٥٠١٧٥٨٠٨

VAT NO: 301143888700003

الرقم الضريبي: ٣٠١١٤٣٨٨٨٧٠٠٠٣

7279 Al Khobar Al Janubiyah

٧٢٧٩ الخبر جنوبية

5207 Al khobar 34622

٥٢٠٧ الخبر ٣٤٦٢٢

Saudi Arabia

المملكة العربية السعودية

Full Description

The **Genie GS-3246** is a robust electric scissor lift designed for high-efficiency work at height in both indoor and outdoor environments. With a maximum working height of **11.78 meters** and a platform capacity of up to **318 kg**, it's ideal for construction, maintenance, and facility management applications.

Its compact width of **1.18 meters** allows it to navigate tight spaces and standard doorways, while the non-marking solid tires and zero inside turning radius enhance maneuverability. The extended platform reaches **3.18 meters** with a slide-out deck, providing ample space for tools and workers.

Key features include:

- Driveable at full height with a stable platform
- Electric E-Drive system for improved efficiency and runtime
- SmartLink control system for easy operation
- Fold-down guardrails for compact storage and transport
- Tilt and descent alarms for enhanced operator safety
- Optional Lithium-Ion battery for longer performance

Whether you're working on electrical installations, ceiling repairs, or HVAC servicing, the Genie GS-3246 delivers outstanding performance and reliability where vertical access is essential.

Images





www.rjc.sa - info@rjc.sa

رکاز الجودة للمقاولات العامة

Rakaz Al Joudah General Contracting

C.R. No: 2050175808

VAT NO: 301143888700003

7279 Al Khobar Al Janubiyah
5207 Al khobar 34622
Saudi Arabia

السجل التجاري: ٢٠٥٠١٧٥٨٠٨

الرقم الضريبي: ٣٠١١٤٣٨٨٨٧٠٠٠٠٣

٧٢٧٩ الخبر جنوبية

٥٢٠٧ الخبر ٣٤٦٢٢

المملكة العربية السعودية

Technical Specifications

Rental Genie GS-3246 Electric Scissor Lift

Specification	Value
Working height max. - indoor	11.78 m
Working height max. - outdoor	8.71 m
Platform height max. - indoor	9.78 m
Platform height max. - outdoor	6.71 m
Platform height - stowed	1.32 m
Platform length - outside	2.26 m
Platform length - extended	3.18 m
Slide-out platform extension	0.91 m
Platform width - outside	1.18 m
Guardrail height	1.10 m
Toeboard height	15 cm
Machine height - stowed (rails up)	2.44 m
Machine height - stowed (rails down)	1.83 m
Machine length - stowed	2.44 m
Machine length - extended	3.33 m
Machine width	1.18 m
Wheelbase	1.85 m
Ground clearance (retracted)	12 cm
Ground clearance (deployed)	2.3 cm
Max. platform occupancy (in/out)	2 / 1
Lift capacity	318 kg
Lift capacity - extension deck	113 kg
Max. platform drive height	9.78 m
Drive speed - stowed	3.2 km/h
Drive speed - raised	0.8 km/h
Gradeability - stowed	25%
Turning radius (inside/outside)	0 / 2.29 m
Lifting speed (raise/lower)	53 / 34 sec
Tilt sensor activation	3° / 1.5°
Tires	38 × 13 cm
Power (FLA)	24V DC (4 × 6V 210Ah)
Power (Lithium-Ion)	24V DC (1 × 24V 90Ah)



www.rjc.sa - info@rjc.sa

ركز الجودة للمقاولات العامة Rakaz Al Joudah General Contracting

C.R. No: 2050175808

السجل التجاري: ٢٠٥٠١٧٥٨٠٨

VAT NO: 301143888700003

الرقم الضريبي: ٣٠١١٤٣٨٨٨٧٠٠٠٣

7279 Al Khobar Al Janubiyah

٧٢٧٩ الخبر جنوبية

5207 Al khobar 34622

٥٢٠٧ الخبر ٣٤٦٢٢

Saudi Arabia

المملكة العربية السعودية

Specification	Value
Hydraulic tank capacity	15 L
Weight	2
Max. weight (with options)	2
Max. tire load	1
Tire contact pressure	1
Occupied floor pressure	10.23 kPa
Sound level (ground/platform)	< 70 dBA
Vibration	< 2.5 m/s ²