



www.rjc.sa - info@rjc.sa

رکاز الجودة للمقاولات العامة Rakaz Al Joudah General Contracting

C.R. No: 2050175808

VAT NO: 301143888700003

7279 Al Khobar Al Janubiyah
5207 Al khobar 34622
Saudi Arabia

السجل التجاري: ٢٠٥٠١٧٥٨٠٨

الرقم الضريبي: ٣٠١١٤٣٨٨٨٧٠٠٠٠٣

٧٢٧٩ الخبر جنوبية
٥٢٠٧ الخبر ٣٤٦٢٢
المملكة العربية السعودية

Datasheet

Rental Scissor Lift LGMG S0812-2

Brand: LGMG



Short Description

Compact electric scissor lift for rental. 10 m working height, 450 kg capacity, 1.12 × 2.26 m platform with 0.9 m extension, 1.19 m width. Non-marking tires. Ideal for indoor maintenance and fit-out work.

- Working height: 10 m
- Platform: 1.12 × 2.26 m + 0.9 m extension
- Capacity: 450 kg
- Machine width: 1.19 m
- Gradeability (stowed): 25%
- Battery: 24 V (4×6 V), 220 Ah



www.rjc.sa - info@rjc.sa

ركاز الجودة للمقاولات العامة Rakaz Al Joudah General Contracting

C.R. No: 2050175808

السجل التجاري: ٢٠٥٠١٧٥٨٠٨

VAT NO: 301143888700003

الرقم الضريبي: ٣٠١١٤٣٨٨٨٧٠٠٠٣

7279 Al Khobar Al Janubiyah

٧٢٧٩ الخبر جنوبية

5207 Al khobar 34622

٥٢٠٧ الخبر ٣٤٦٢٢

Saudi Arabia

المملكة العربية السعودية

Full Description

LGMG S0812-2 Electric Scissor Lift — Rental

Compact indoor-ready scissor lift delivering a 10 m working height with a robust 450 kg platform capacity. Non-marking tires, foldable guardrails, and intuitive proportional controls support fast, safe access for maintenance, fit-out, and MEP work.

Why rent this model

- 10 m reach with an 8 m platform height
- Large 1.12 × 2.26 m platform plus 0.9 m slide-out extension
- High capacity: 450 kg on platform, 120 kg on extension
- Compact 1.19 m width for standard double doors and tight aisles
- Solid non-marking tires for finished floors

Typical applications

- Facilities maintenance and FM contracts
- Electrical, HVAC, fire-alarm, and data cabling
- Interior fit-out, ceilings, and signage
- Warehousing, racking, and inventory tasks

Key specifications

Working height (max)10 m Platform height (raised)8 m Platform size1.12 × 2.26 m Extension deck0.9 m Platform length with extension3.16 m Overall length2.43 m Overall width1.19 m Overall height (guardrails up / down)2.36 m / 1.55 m Wheelbase1.85 m Ground clearance (stowed / raised)0.10 m / 0.02 m Platform capacity450 kg Extension deck capacity120 kg Max. platform occupants (in / out)2 / 1 Gradeability (stowed)25% Minimum turning radius2.7 m Raise / lower speed35 s / 40 s Drive mode4×2 Tire typeSolid non-marking Tire size380 × 130 mm Ground pressure, tyres1119 kPa Battery24 V (4×6 V), 220 Ah Hydraulic oil capacity15 L Machine weight2260 kg

Safety and productivity

- Automatic braking and pothole protection
- Emergency stop and emergency descent
- Tilt/over-tilt protection and overload sensing
- Proportional lift/drive controls for smooth positioning
- Foldable guardrails for low doorways and transport
- Horn and hour meter

Service and options

- Intelligent diagnostics and swing-out component tray
- Charging protection system
- Standard forklift pockets for transport
- Optional AC power to platform and telematics
- Flashing beacons available on request

Images



www.rjc.sa - info@rjc.sa

رکاز الجودة للمقاولات العامة Rakaz Al Joudah General Contracting

C.R. No: 2050175808

VAT NO: 301143888700003

7279 Al Khobar Al Janubiyah

5207 Al khobar 34622

Saudi Arabia

السجل التجاري: ٢٠٥٠١٧٥٨٠٨

الرقم الضريبي: ٣٠١١٤٣٨٨٨٧٠٠٠٠٣

٧٢٧٩ الخبر جنوبيه

٥٢٠٧ الخبر ٣٤٦٢٢

المملكة العربية السعودية





www.rjc.sa - info@rjc.sa

ركاز الجودة للمقاولات العامة Rakaz Al Joudah General Contracting

C.R. No: 2050175808

VAT NO: 301143888700003

7279 Al Khobar Al Janubiyah
5207 Al khobar 34622
Saudi Arabia

السجل التجاري: ٢٠٥٠١٧٥٨٠٨

الرقم الضريبي: ٣٠١١٤٣٨٨٨٧٠٠٠٠٣

٧٢٧٩ الخبر جنوبية
٥٢٠٧ الخبر ٣٤٦٢٢
المملكة العربية السعودية

Technical Specifications

Rental Scissor Lift LGMG S0812-2

Specification	Value
Manufacturer	LGMG
Country of Origin	China
Model	S0812-2 (S2646-2)
Work Height Max.	10 m
A Platform Height-Raised	8 m
B Platform Length	2.26 m
C Extension Deck	0.9m
D Platform Length With Extension Deck	3.16 m
E Platform Width	1.12 m
F Overall Length	2.43 m
G Overall Width	1.19 m
H Overall Height-Guardrails Up	2.36 m
I Overall Height-Guardrails Down	1.55 m
J Wheelbase	1.85 m
Ground Clearance(Stowed/Raised)	0.1/0.02 m
Platform Capacity	450 kg
Platform Capacity-Extension Deck	120 kg
Min. Turning Radius	2.7 m
Raise/Lower Speed	35s / 40s
Tire Size	380x130mm
Ground Pressure Tyres	1119kPa
Lead-acid Battery	24V
Hydraulic Oil Capacity	15 L
Machine Weight	2260 kg