



www.rjc.sa - info@rjc.sa

رکاز الجودة للمقاولات العامة Rakaz Al Joudah General Contracting

C.R. No: 2050175808

VAT NO: 301143888700003

7279 Al Khobar Al Janubiyah
5207 Al khobar 34622
Saudi Arabia

السجل التجاري: ٢٠٥٠١٧٥٨٠٨

الرقم الضريبي: ٣٠١١٤٣٨٨٨٧٠٠٠٠٣

٧٢٧٩ الخبر جنوبية
٥٢٠٧ الخبر ٣٤٦٢٢
المملكة العربية السعودية

Datasheet

Rental Dingli JCPT1612AC Self-Propelled Electric Scissor Lift

Brand: Dingli



Short Description

The Dingli **JCPT1612AC** is a self-propelled electric scissor lift offering a maximum working height of 15.7 meters and a platform capacity of 250 kg. Designed for indoor use, it delivers smooth, quiet operation with non-marking tires, proportional control, and maintenance-free AC drive motors—ideal for warehouse, facility, and maintenance applications.



www.rjc.sa - info@rjc.sa

رکاز الجودة للمقاولات العامة

Rakaz Al Joudah General Contracting

C.R. No: 2050175808

السجل التجاري: ٢٠٥٠١٧٥٨٠٨

VAT NO: 301143888700003

الرقم الضريبي: ٣٠١١٤٣٨٨٨٧٠٠٠٣

7279 Al Khobar Al Janubiyah

٧٢٧٩ الخبر جنوبية

5207 Al khobar 34622

٥٢٠٧ الخبر ٣٤٦٢٢

Saudi Arabia

المملكة العربية السعودية

Full Description

Dingli JCPT1612AC – Self-Propelled Electric Scissor Lift

The Dingli JCPT1612AC is a reliable, easy-to-use electric scissor lift designed for safe and efficient work at height in indoor environments. Its compact footprint and smooth electric drive make it ideal for facilities maintenance, warehouses, retail fit-outs, and installation work.

Why choose this lift

- **Productive & precise:** Proportional controls provide smooth, accurate positioning.
- **Operator comfort:** Quiet, low-emission electric operation with non-marking tyres for finished floors.
- **Safety built-in:** Automatic pothole protection, load-sensing, tilt and motion alarms, and emergency stop.
- **Drive at height:** Move between tasks without lowering the platform to save time.
- **Service friendly:** Onboard diagnostics, foldable guard rails, and convenient transport points.
- **Power options:** Available with lead-acid or lithium battery configurations to suit your duty cycle.

Typical applications

Ideal for racking and stock work, lighting and MEP maintenance, signage, interior finishing, and general facility tasks.

Available for short- or long-term rental. Contact us to match the configuration to your site and task requirements.

Images





www.rjc.sa - info@rjc.sa

ركاز الجودة للمقاولات العامة Rakaz Al Joudah General Contracting

C.R. No: 2050175808

VAT NO: 301143888700003

7279 Al Khobar Al Janubiyah

5207 Al khobar 34622

Saudi Arabia

السجل التجاري: ٢٠٥٠١٧٥٨٠٨

الرقم الضريبي: ٣٠١١٤٣٨٨٨٧٠٠٠٠٣

٧٢٧٩ الخبر جنوبية

٥٢٠٧ الخبر ٣٤٦٢٢

المملكة العربية السعودية

Technical Specifications

Rental Dingli JCPT1612AC Self-Propelled Electric Scissor Lift

Specification	Value
Manufacturer Name	Zhejiang Dingli Machinery Co. Ltd.
Model Number	JCPT1612AC
Country of Origin	China
Equipment Type	Self-propelled electric scissor lift
Intended Use	Indoor use only (max occupants 2 indoor / 0 outdoor)
Max. working height	15.70 m
Max. platform height	13.70 m
Overall length (A)	2.84 m
Overall width (D)	1.25 m
Overall height (rails up) (E)	2.62 m
Overall height (rails down) (F)	2.09 m
Platform size LxW (G)	2.64 × 1.12 m
Platform extension (H)	0.90 m
Ground clearance (stowed/raised)	0.10 m / 0.019 m
Wheelbase	2.22 m
Turning radius (inside/outside)	0 m / 2.65 m
Tyres	φ381 × 127 mm non-marking
Platform capacity (S.W.L.)	250 kg
Capacity on extension	113 kg
Max occupants (indoor/outdoor)	2 / 0
Gradeability	25%
Travel speed (stowed)	5.0 km/h
Travel speed (raised)	0.8 km/h
Max working slope (X / Y)	X-1.5° / Y-3°
Lift / lower time	70 s / 67 s
Overall weight	3,360 kg
Hydraulic tank capacity	20 L
Batteries (options)	Lead-acid 24 V / 240 Ah or Lithium 24 V / 220 Ah
Onboard charger	24 V / 30 A
Drive motors	2 × 15 VAC / 0.87 kW
Lift motor	15 VAC / 3.50 kW



www.rjc.sa - info@rjc.sa

ركز الجودة للمقاولات العامة Rakaz Al Joudah General Contracting

C.R. No: 2050175808

السجل التجاري: ٢٠٥٠١٧٥٨٠٨

VAT NO: 301143888700003

الرقم الضريبي: ٣٠١١٤٣٨٨٨٧٠٠٠٣

7279 Al Khobar Al Janubiyah

٧٢٧٩ الخبر جنوبية

5207 Al khobar 34622

٥٢٠٧ الخبر ٣٤٦٢٢

Saudi Arabia

المملكة العربية السعودية

Specification	Value
Standard features	Proportional joystick; self-locking gates; 0.9 m extension; drive at full height; non-marking tyres; 2WD &&&&&&& 2WS; automatic brakes; emergency descent; hose burst protection; diagnostics; tilt &&&&&&& motion alarms; horn; ho
Compliance / Certification	CE EN 280