مؤسسة رمز ركاز الجودة للتجارة
Ramz Rikaz Al Joudah Trading Est.
C.R. No: 7055068394
VAT No: 312849650600003
4620 Street No. 10
3602 Al Jazirah Dist.
Riyadh 14262
Saudi Arabia
السجل التجاري: ٧٠٥٥٠٦٨٣٩٤
الرقم الضريبي: ٣١٢٨٤٩٦٥٠٦٠٠٠٠٣
٤٦٢٠ شارع رقم ١٠
٣٦٠٢ حي الجزيرة
الرياض ١٤٢٦٢
المملكة العربية السعودية
www.rjc.sa - info@rjc.sa

Datasheet

Rental OMMELIFT 2500 E Spider Lift – 25.1m Working Height

Brand: OMMELIFT



The **OMMELIFT 2500 E** is a compact **trailer-mounted telescopic lift** available for rental, offering up to **25.1 m working height** and strong outreach for maintenance, installation, and façade works. Easy to transport and quick to set up, it provides smooth proportional controls, stable hydraulic outriggers, and a practical basket for efficient work at height.

www.rjc.sa - info@rjc.sa

مؤسسة رمز ركاز الجودة للتجارة
Ramz Rikaz Al Joudah Trading Est.

C.R. No: 7055068394
VAT No: 312849650600003
4620 Street No. 10
3602 Al Jazirah Dist.
Riyadh 14262
Saudi Arabia

السجل التجاري: ٧٠٥٥٠٦٨٣٩٤
الرقم الضريبي: ٣١٢٨٤٩٦٥٠٦٠٠٠٠٣
٤٦٢٠ شارع رقم ١٠
٣٦٠٢ حي الجزيرة
الرياض ١٤٢٦٢
المملكة العربية السعودية

The **OMMELIFT 2500 E** is a trailer-mounted access platform designed for safe, efficient work at height across a wide range of job sites. Its trailer format makes transportation simple, while the quick set-up concept helps teams move between locations with minimal downtime.

Built for everyday rental use, the machine focuses on operator confidence and site productivity. Proportional controls support smooth, precise positioning, and the stabilized working setup provides strong footing when working on uneven or variable ground conditions. The platform layout is practical for tools and materials, supporting typical maintenance and installation tasks.

The 2500 E is a strong fit for building maintenance, façade access, lighting and signage works, MEP installation, and general contractors who need flexible access without committing to a dedicated truck-mounted unit. Whether used indoors or outdoors (subject to site conditions), it delivers dependable access performance with straightforward operation and transport convenience.

www.rjc.sa - info@rjc.sa

مؤسسة رمز ركاز الجودة للتجارة
Ramz Rikaz Al Joudah Trading Est.

C.R. No: 7055068394
VAT No: 312849650600003
4620 Street No. 10
3602 Al Jazirah Dist.
Riyadh 14262
Saudi Arabia

السجل التجاري: ٧٠٥٥٠٦٨٣٩٤
الرقم الضريبي: ٣١٢٨٤٩٦٥٠٦٠٠٠٠٣
٤٦٢٠ شارع رقم ١٠
٣٦٠٢ حي الجزيرة
الرياض ١٤٢٦٢
المملكة العربية السعودية





مؤسسة رمز ركاز الجودة للتجارة
Ramz Rikaz Al Joudah Trading Est.
C.R. No: 7055068394
VAT No: 312849650600003
4620 Street No. 10
3602 Al Jazirah Dist.
Riyadh 14262
Saudi Arabia
السجل التجاري: ٧٠٥٥٠٦٨٣٩٤
الرقم الضريبي: ٣١٢٨٤٩٦٥٠٦٠٠٠٠٣
٤٦٢٠ شارع رقم ١٠
٣٦٠٢ حي الجزيرة
الرياض ١٤٢٦٢
المملكة العربية السعودية
www.rjc.sa - info@rjc.sa

Technical Specifications

Rental OMMELIFT 2500 E Spider Lift – 25.1m Working Height

Specification	Value
Manufacturer	OMMELIFT
Model	2500 E
Equipment Type	Trailer lift (telescopic)
Working Height	25.1 m
Platform Height	23.1 m
Max. outreach	12.6 m
Basket load at max. outreach (chart)	80 kg
Angle boom length (boom + basket)	2.0 m
Ground to tire clearance at max. set-up	Min. 170 mm (5.9% / 3.4°)
Total weight (2500 E)	3000 kg
Total weight (2500 EB)	3060 kg
Total weight (2500 EBD)	3180 kg
Transport length	8410 mm
Transport width	1710 mm
Transport height	2110 mm
Gradeability	14% / 8°
Turret rotation	± 355°
Basket rotation	± 41°
Max. force	17.1 kN
Ground pressure	20.0 kg/cm²
Ground pressure with 0.4 x 0.4 m spreader plate	1.1 kg/cm²
Battery Charger	24 V / 30 A
Hydraulic stabilizers	Standard
Power supply option	230V / 16A
Engine (petrol/diesel)	Optional
Fuel Tank Capacity	16 l
Battery pack	24V/200Ah/5h
Double charger system	Optional
Hybrid engine rating (if hybrid version)	14 kW
Self-propulsion with hydraulic engagement of traction rollers	Standard

www.rjc.sa - info@rjc.sa

مؤسسة رمز ركاز الجودة للتجارة
Ramz Rikaz Al Joudah Trading Est.

C.R. No: 7055068394
VAT No: 312849650600003
4620 Street No. 10
3602 Al Jazirah Dist.
Riyadh 14262
Saudi Arabia

السجل التجاري: ٧٠٥٥٠٦٨٣٩٤
الرقم الضريبي: ٣١٢٨٤٩٦٥٠٦٠٠٠٠٣
٤٦٢٠ شارع رقم ١٠
٣٦٠٢ حي الجزيرة
الرياض ١٤٢٦٢
المملكة العربية السعودية

Specification	Value
Electric power outlet in basket	Standard
Controls	Proportional
Max. basket load	200 kg
Basket size (L x W x H)	1.25 x 0.8 x 1.1 m
Stabilizer pad size	Ø200 mm
Outrigger footprint (L x W)	4250 x 4250 mm
Generator	24 V / 22 A
Electric descent	Optional
Flush basket mount	Standard
Tool trays in basket	Standard